

AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing
A.B.N. 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031
P.O. Box 240, North Melbourne, Victoria 3051
Phone (03) 9371 2400 Fax (03) 9371 2499

TEST REPORT

CLIENT : NSW LEATHER CO PTY LTD
707 ELIZABETH STREET
WATERLOO NSW 2017

TEST NUMBER : 7-554713-BN
DATE : 10/09/2007

SAMPLE DESCRIPTION Clients ref: "Royal Aviator Leather"
Nom: One sample, black leather
End Use: Aircraft seating

FAR PART 25-1995
SECTION 25.853
(12s IGNITON)

Airworthiness Standards: Transport Category Airplanes
Interior Compartments Occupied by Crew or Passengers

	Specimen 1	2	3	Mean
Length				
Flame Time	0.0	0.0	0.0	0.0 s
Burn Length	15	20	10	15 mm
Drip Flame Time	0.0	0.0	0.0	0.0 s
Width				
Flame Time	0.0	0.0	0.0	0.0 s
Burn Length	15	15	10	13 mm
Drip Flame Time	0.0	0.0	0.0	0.0 s
Comments: self extinguishing			no outgassing	
some smoke			no drips	

FAR 25.853 APP F
(a) (1) (ii) -1995

Requirements: The average burn length may not exceed 8 inches (203mm) and the average flame time after removal of the flame source may not exceed 15 seconds. Drippings from the test specimen may not continue to flame for more than an average of 5 seconds after falling.

Complies

163036

1

© Australian Wool Testing Authority Ltd
Copyright - All Rights Reserved



This Laboratory is accredited by the National Association of Testing Authorities, Australia, for:

- Chemical Testing of Textiles & Related Products
- Mechanical Testing of Textiles & Related Products
- Heat & Temperature Measurement

Accreditation No. 983
Accreditation No. 985
Accreditation No. 1356

This document is issued in accordance with NATA's accreditation requirements. Samples, and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced, except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved in advance by the Managing Director of AWTA Ltd.

